



Coos County Community Development

Mailing Address: 250 N. Baxter, Coquille, Oregon

60 E. Second St., Coquille OR 97423

Planning, Building, Onsite and Enforcement

Phone: 541-396-7770

Fax: 541-266-1146

www.co.coos.or.us

TDD (800) 735-2900

Solid Fuel, Liquid & Gas/Propane Appliance Installations

BACKGROUND

Installation of solid fuel, liquid & gas/propane appliances require verification that chimneys and vents are adequate for use with the new appliance. The inspection of an existing chimney or vent requires equipment that is not readily available to Building Department staff. A professional chimney sweep or contractor who is licensed by the State Construction Contractors Board (CCB) has the equipment and expertise to confirm the safety of an existing chimney or vent.

The Oregon Mechanical Specialty Code (Section 801.18.2) and the Oregon Residential Specialty Code (Section M1801.3.2) require appliances which are installed utilizing an existing chimney or vent to comply with the following:

The flue gas passageway shall be free of obstructions and combustible deposits and shall be cleaned if previously used for venting a solid or liquid fuel-burning appliance or fireplace. The flue liner, chimney inner wall or vent inner wall shall be continuous and shall be free of cracks, gaps, perforations or other damage or deterioration which would allow the escape of combustion products, including gases, moisture, and creosote.

This requirement applies to all appliances installed into an existing chimney or vent which previously vented appliances using solid, liquid, or gas fuel. The requirement does not apply to new gas appliances which are proposed to vent into an existing (type B) gas vent.

BUILDING DEPARTMENT PROCESS

- Homeowner or qualified contractor shall obtain from the Building Department, a Mechanical Permit for installation of a solid fuel, liquid & gas/propane appliance. Indicate on the Mechanical Permit application if existing chimney or vent is to be replaced with new chimney or vent.
- If existing chimney or vent is to be re-used, clean existing chimney or vent previously utilized to burn solid, liquid or gas/propane fuel. **Cleaning and inspection must be performed by the homeowner, a chimney sweep or other qualified contractor prior to the inspection of the installation of the new solid fuel, liquid or gas/propane appliance.** A chimney sweep or contractor providing the cleaning and inspection of the chimney or vent must be registered with the CCB.
- Prior to requesting the inspection of the new appliance, the permittee must submit to the Building Department: Documentation indicating characteristics of the installation and verification that the chimney or vent has been cleaned and it is safe for reuse with the proposed appliance. See **SPECIFIC SUBMITTAL REQUIREMENTS** on reverse side.



Coos County Community Development

Mailing Address: 250 N. Baxter, Coquille, Oregon
60 E. Second St., Coquille OR 97423
Planning, Building, Onsite and Enforcement
Phone: 541-396-7770
Fax: 541-266-1146

Permit #
Date:
Staff:

www.co.coos.or.us

TDD (800) 735-2900

Propane Appliance Installations

Permit No.

Owners Name:

Installation Address:

Chimney or Vent Inspector/Contractor Name:

CCB No.:

Appliance: [] Freestanding Wood Stove [] Wood Stove Insert [] Pellet Stove [] Pellet Stove Insert
[] Other (describe):

Minimum required clearance to combustibles:

[] Sidewall: [] Mantle: [] Corner Wall: [] Backwall:

Chimney connector: [] Single wall [] Double wall reduced clearance

Chimney/Venting: [] Manufactured UL 103 HT [] Masonry Chimney UL 1777 Liner
[] Masonry chimney with direct connection to clay tile liner
[] Pellet vent type L [] Other (describe):

Chimney/Liner:

Manufacturer/Model:

Does the existing masonry chimney have a clay liner? [] Yes [] No

Has the existing clay tile liner been cleaned? [] Yes [] No Date cleaned:

Is the existing clay liner continuous, free of cracks, gaps, perforations or damage? [] Yes [] No

Is the chimney liner installed as per the manufacturer's installation instruction? [] Yes [] No

Are the concealed portions of the wood stove flue a manufactured UL 103 HT chimney and installed as per the manufacturer's instructions with the minimum required clearances? [] Yes [] No

Are the concealed portions of the liquid or gas/propane venting installed per the manufacturer's installation instructions for minimum required clearances? [] Yes [] No

Termination:

Is the chimney termination at least 2ft higher than nay part of the structure that is within 10ft of the chimney and at least 3ft high measured from where it passes through the roof? [] Yes [] No

Does the chimney termination have a spark arrestor? [] Yes [] No

Appliance Installer:

(Signature)

Date: